

5

HÄFELE

OFFICE ORGANIZATION





Power and Charging

Docking Drawer	5.3–5.12
Docking Stations 280/281	5.13
Dock 150	5.14
Wireless Charging Units	5.15
Hide-A-Dock	5.16
Dock 704	5.17
Pop-Up Power Stations	5.18
Dock 1100	5.19
Power Bars	5.20
Sleek Sockets	5.21



Cable Management

Grommets	5.22–5.27
Waste Management Liner	5.28
Round Trash Rings	5.28
Utility Grommets	5.29
Utility Canisters/Storage Containers	5.30
Cable Trunking/Grip	5.31
Low-Voltage Cable Management Arm	5.32
Cable Clamps/Ties	5.33
Wire Management	5.34–5.35



File Organization

File Frame Kits	5.36
File Brackets and Rails	5.37



Computer Accessories

Monitor Arms	5.38–5.39
Pencil Drawers	5.40
Accuride Keyboard Trays	5.41
Keyboard Arms	5.42–5.43
Keyboard Trays	5.44
Keyboard Arm/Tray Combo Packs	5.45
CPU Holders	5.46

Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.

Docking Drawer from Häfele



Get Organized

In-drawer outlets provide a designated place to connect devices out of sight, resulting in more organized and functional spaces.

Power Safely

Interlocking safety feature cuts power to the outlet when surrounding temps exceed 120° F, allowing you to power with peace of mind.

Specify with Ease

Designed in one compact size, our outlets are simple to specify into new or existing drawers of any type using basic power tools.

ETL Listed for use in the US and Canada

Application examples:




Kitchens



Bathrooms



Home Office



Vanity Pull Out



Closet



Nightstand



Narrow Drawers



Entryway



Desks



Hotels



**Stainless Steel
Capped Canisters**



Safety Outlets

Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.

Office Organization

5

Docking Drawer from Häfele



Choose Your Outlet Configuration





A variety of outlet configurations are available for all charging and powering needs from 65W USB-C, 30W USB-C, USB-A and AC Power Delivery. Charge and power up to 8 devices with Docking Drawer Blade Duo or up to 4 devices with the Docking Drawer Blade.

15 amp solutions are perfect for any room and application. If the project requires 20 amps or the outlet will be plugged into a 20 amp NEMA 5-20R receptacle, specify a 20 amp Docking Drawer solution.

5

Select Your Drawer

Office Organization

Drawer Box Types		 Minimum Drawer Box Width (OD)	 Minimum Interior Drawer Box Height	 Minimum Space Behind Drawer Box	 Maximum Base Cabinet Depth
	Shallow Drawer Most often found in kitchens, closets, offices, side tables, entryway tables, and retail projects.	15" or more	3" or more	2" or more	24" or less
	Tall Drawer Most often found in bathroom vanities and with above-glide mounting.	13" or more	4" or more	2" or more	24" or less
	Narrow Drawer Most often found in bathroom vanities and with over-glide mounting. Requires a channel to be cut in the cabinet sidewall.	9" or more	4" or more	2" or more	24" or less
	Vertical Drawer Most often found in bathroom vanities and kitchen pull-outs.	8" or more	13" or more	2" or more	24" or less

Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.

Docking Drawer Blade Duo and Blade 15 Amp Series



Outlet Features

- > Keep your devices plugged in, ready to use and neatly stowed
- > Outlets can be mounted horizontally, vertically, left or right
- > Compatible with side mount, undermount and soft close slides
- > ETL Listed for use in the US and Canada

Cabinet Specifications

- > Fits cabinet depths: max. 610 mm (24") with drawer box width (OD): min. 380 mm (15")
- > Space behind drawer box: min. 51 mm (2")
- > Interior drawer box height: min. 76 mm (3")

Electrical Specifications

- > 1.37 m (4 1/2') NEMA 5-15P power cord plugs into a NEMA 5-15R receptacle
- > 15 amp outlets with 14 AWG cord approved for residential and commercial installations
- > Rated current: max. 15 amps @ 120 VAC
- > 65W, 30W USB-C power delivery, USB-A and AC available



Safety Features

- > Interlock Thermostat de-energizes outlet when the surrounding temperature exceeds 120°F
- > Optional Safety Interlock Outlet adds a limit switch that senses the drawer position and de-energizes the outlet when the drawer starts to close, see page 5.11

Note

Safety Interlock Outlet is optional in the United States. Required in Canada to satisfy the requirements of the Canadian Electrical Code (CEC).



Installs into any Drawer



Safety Features for Peace of Mind



65W USB-C for Fast Charging



Connect up to 8 Devices



→ Docking Drawer Blade with USB-C (PD) Power Delivery



2.5W



5W



10W



12W



18W



Can charge one USB-C (PD) device at a time at the fastest rate.

30W



Can charge multiple USB-C (PD) devices at the same time at the fastest rate.

65W

PD

Docking Drawer Blade Series outlets are now even faster with new 65W USB-C configurations

- > 65W USB-C configurations will charge multiple devices at their fastest possible rates of speed
- > 30W USB-C configurations will charge multiple devices faster than USB-A

More USB-C for streamlined charging:

- > Now featuring more USB-C ports, aligning with the global shift to USB-C; eliminate the bulky charging blocks that come with devices and plug cords directly into the USB-C ports to fast charge

Safe, efficient charging:

- > 65W and 30W USB-C (PD) ports feature intelligent heat management for worry-free, blazing-fast charging
- > Smart thermoregulation technology keeps your devices cool and safe

Docking Drawer Blade 15 Amp Series



- > With 2 x USB-C (PD) 30W and 2 x USB-A ports
- > 30W USB-C for fast charging
- > Connect up to 4 devices
- > Material: Metal/Plastic/Electrical Components

Finish	Model	Item No.
black	1514-180B	822.53.473
white	1514-180W	822.53.474
stainless steel	1514-180S	822.53.475



- > With 2 x 15A AC outlets and 2 x USB-A ports
- > Material: Metal/Plastic/Electrical Components

Finish	Model	Item No.
black	1514-110B	822.53.359
white	1514-110W	822.53.360
stainless steel	1514-110S	822.53.361



- > With 2 x 15A AC outlets and 2 x USB-C (PD) ports
- > 30W USB-C for fast charging
- > Connect up to 4 devices
- > Material: Metal/Plastic/Electrical Components

Finish	Model	Item No.
black	1514-130B	822.53.365
white	1514-130W	822.53.366
stainless steel	1514-130S	822.53.367



- > With 2 x 15A AC outlets
- > Material: Metal/Plastic/Electrical Components

Finish	Model	Item No.
black	1514-160B	822.53.371
white	1514-160W	822.53.372
stainless steel	1514-160S	822.53.373

Docking Drawer Blade Duo 15 Amp Series



- > With 4 x 15A AC outlets
- > Material: Metal/Plastic/Electrical Components

Finish	Model	Item No.
black	1514-266B	822.53.368
white	1514-266W	822.53.369
stainless steel	1514-266S	822.53.370



- > With 4 x USB-C (PD) 30W, 2 x USB-A ports and 2 x 15A AC outlets
- > 30W USB-C for fast charging
- > Connect up to 8 devices
- > Material: Metal/Plastic/Electrical Components

Finish	Model	Item No.
black	1514-238B	822.53.476
white	1514-238W	822.53.477
stainless steel	1514-238S	822.53.478



- > With 4 x 15A AC outlets, 2 x USB-A ports and 2 x USB-C (PD) Ports
- > Material: Metal/Plastic/Electrical Components

Finish	Model	Item No.
black	1514-213B	822.53.430
white	1514-213W	822.53.431
stainless steel	1514-213S	822.53.432



- > With 4 x USB-C (PD) 30W and 4 x USB-A ports
- > 30W USB-C for fast charging
- > Connect up to 8 devices
- > Material: Metal/Plastic/Electrical Components

Finish	Model	Item No.
black	1514-288B	822.53.482
white	1514-288W	822.53.483
stainless steel	1514-288S	822.53.484

Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.

Docking Drawer Blade Duo and Blade 20 Amp Series

5

Office Organization



Docking Drawer Blade and Blade Duo in-drawer outlets are rated for any charging or powering applications and are designed to fit into almost every cabinet. The 20 amp Docking Drawer Blade Duo and Blade are an all-in-one series which can charge AND power any type of device in even more compact spaces. All Docking Drawer Blade and Blade Duo feature an Interlock Thermostat that de-energizes the outlet if the surrounding temperature exceeds 120° F.

Outlet Features

- > Keep devices plugged in, ready to use and neatly stowed away
- > Outlets can be mounted horizontally, vertically, left or right
- > Compatible with side mount, undermount and soft close slides
- > ETL Listed to UL962a

Cabinet Specifications

- > Fits shallow drawers: Drawer box width (OD): min. 380 mm (15")
Interior drawer box height: min. 76 mm (3")
- > Fits tall drawers: Drawer box width (OD): min. 330 mm (13")
Interior drawer box height: min. 101 mm (4")
- > Fits narrow drawers: Drawer box width (OD): min. 228 mm (9")
Interior drawer box height: min. 101 mm (4")
- > Fits vertical drawers: Drawer box width (OD): min. 203 mm (8")
Interior drawer box height: min. 330 mm (13")

Electrical Specifications

- > 3' NEMA 5-20P power cord plugs into a NEMA 5-20R receptacle
- > Max. current: AC: 16 amps @ 120 VAC
USB-A: 3.6 amps @ 5VDC



Safety Features

- > Interlock Thermostat - De-energizes outlet when the surrounding temperature exceeds 120°F



Requires a 20 amp wall receptacle with T-shaped prongs for the NEMA 5-20P



Features 3' long heavy-duty 12 AWG power cord with NEMA 5-20P plug and 20 amp receptacle



Installs into any Drawer



Safety Features for Peace of Mind



65W USB-C for Fast Charging



Connect up to 8 Devices



Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.

Docking Drawer Blade and Blade Duo 20 Amp Series

→ Blade



- > With 2 x 20A AC Outlets
- > Material: Metal/Plastic/Electrical Components

Finish	Model	Item No.
black	2012-160B	822.53.392
white	2012-160W	822.53.393
stainless steel	2012-160S	822.53.394



- > With 2 x 20A GFCI Outlets
- > Material: Metal/Plastic/Electrical Components

Finish	Model	Item No.
black	2012-150B	822.53.401
white	2012-150W	822.53.400
stainless steel	2012-150S	822.53.399

→ Blade Duo



- > With 4 USB-C (PD) 30W, 2 x USB-A ports and 2 x 20A AC outlets
- > 30W USB-C for fast charging
- > Connect up to 8 devices
- > Material: Metal/Plastic/Electrical Components

Finish	Model	Item No.
black	2012-238B	822.53.485
white	2012-238W	822.53.486
stainless steel	2012-238S	822.53.487

Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.

Docking Drawer Blade and Blade Duo 65 Watts Charging

→ Docking Drawer Blade Duo




- > With 2 x USB-C (PD) 65W, 2 x USB-C 30W 2 x USB-A ports and 2 x 15A AC outlets
- > 65W and 30W USB-C for fast charging
- > Connect up to 8 devices
- > Material: Metal/Plastic/Electrical Components

Finish	Model	Item No.
black	1514-278B	822.53.491
white	1514-278W	822.53.492
stainless steel	1514-278S	822.53.493



- > With 2 x USB-C (PD) 65W, 2 x USB-A and 4 x 15A AC outlets
- > 65W USB-C for fast charging
- > Connect up to 8 devices
- > Material: Metal/Plastic/Electrical Components

Finish	Model	Item No.
black	1514-217B	822.53.497
white	1514-217W	822.53.498
stainless steel	1514-217S	822.53.499



- > With 2 x USB-C (PD) 65W, 2 x USB-C 30W 2 x USB-A ports and 2 x 20A AC outlets
- > 65W and 30W USB-C for fast charging
- > Connect up to 8 devices
- > Material: Metal/Plastic/Electrical Components

Finish	Model	Item No.
black	2012-278B	822.53.494
white	2012-278W	822.53.495
stainless steel	2012-278S	822.53.496

→ Docking Drawer Blade



- > With 2 x USB-C (PD) 65W and 2 x 15A AC outlets
- > 65W USB-C for fast charging
- > Connect up to 4 devices
- > Material: Metal/Plastic/Electrical Components

Finish	Model	Item No.
black	1514-170B	822.53.439
white	1514-170W	822.53.440
stainless steel	1514-170S	822.53.441

→ Designer Cover Plates



- > Brushed brass finish

Version	Item No.
Blade	822.53.197
Blade Duo	822.53.193

Docking Drawer Safety Interlock Outlet with Blade Limit Switch



Safety Interlock Outlets add an extra layer of security to any 15 amp or 20 amp Docking Drawer Blade Series outlet, guaranteeing devices are never left powered on inside the drawer box. Ideal for vanity or appliance drawers, the Safety Interlock Outlet installs into the single gang junction box that powers the Docking Drawer outlet. The Limit Switch detects the drawer's position and de-energizes the Docking Drawer outlet as the drawer begins to close. Choice of a 15 amp version with a NEMA 5-15R receptacle or a 20 amp NEMA 5-20R receptacle, both are tamper resistant.

- > ETL Listed for use in the US and Canada and satisfies the requirements of the Canadian Electrical Code (CEC) for AC outlets in enclosed spaces
- > In addition to meeting Canadian Codes, the Blade Limit Switch adds a second layer of protection for vacation homes, timeshares, Airbnb properties, senior care facilities, teen bathrooms, etc.






- > Mounts to the back bracket of any Blade Series outlet
- > The current outlet is replaced with the Safety Interlock Outlet
- > LED indicator light displays interlock status
- > Input: 100-125 VAC, 50/60 Hz
- > 15 A – AC output: 15 A @ 125 VAC, 1875 VA max.
- > 20 A – AC output: 20 A @ 125 VAC, 2500 VA max.
- > With 6' low voltage cable
- > Color: white


Model	Item No.
6015 - 1000 W 15 A	822.53.319
6020 - 1000 W 20 A	822.53.397

Supplied With

- 1 Outlet
- 1 Limit switch
- 6' Cable



Please note:
Existing outlet is to be removed and replaced with Interlock Outlet



Blade Limit Switch
fastens here to
the rear mounting
bracket of any
Blade Series outlet



Docking Drawer Safety Interlock Disconnect Outlets



Ideal for in-cabinet appliance garages ensuring peace of mind when using small appliances hidden behind closed cabinet doors. The Magnetic Limit Switch, installed inside a cabinet, detects the door's position. Power is automatically cut to the interlock outlet (and any plugged-in appliances) when the door is closed.

> Adheres to the National Electrical Code (NEC) standards for the United States and is listed to UL 498 and CSA 22.2 #42; additionally, it holds ETL Listing certification for use in both the United States and Canada



* The outlet is energized when the door is open and de-energizes when the door is closed.

→ With Magnetic Limit Switch and AC Outlets

Standard receptacles



- > Kit with 2 AC 20A TR Duplex Outlets
- > Kit includes everything needed to connect up to 4 devices inside an appliance garage
- > Integrate the interlock disconnect in the first section of a 3-gang junction box and then the outlets in second and third sections, then install the magnetic limit switch

Model

0290-6120B67

Item No.

822.53.472

Supplied With

Safety interlock disconnect
Magnetic limit switch, black

→ With Magnetic Limit Switch



- > A flexible solution to the safety interlock kits without duplex outlets
- > For use in 2-gang or 3-gang junction boxes with the flexibility to pair with 15 amp or 20 amp

Model


6120-2002B

Item No.

822.53.525


Supplied With

Safety interlock disconnect
Magnetic limit switch, black



Grounding connection box
(if box has a grounding terminal)

Line cable brings power to the Safety Interlock Disconnect




Wiring Diagram

Docking Station 280



Top view of closed docking station



- > With touch release spring-loaded lid
- > With 1 USB-A port @ 10.5 W and 1 USB-C port @ 12 W
- > 1 AC grounded outlet: 125V 15A max.
- > Installs in hole Ø: 76 mm (3"), tightens with the nut from below
- > Material: Plastic

Color	Item No.
black	822.09.400
white	822.09.401

Supplied With
1.8 m (6') 14AWGx3C power cord



Docking Station 281



- > Without lid
- > With 1 USB-A port @ 10.5 W and 1 USB-C port @ 12 W
- > 1 AC grounded outlet: 125V 15A max.
- > Installs in hole Ø: 76 mm (3"), tightens with the nut from below
- > Material: Plastic

Color	Item No.
black	822.09.402
white	822.09.403

Supplied With
1.8 m (6') 14AWGx3C power cord

Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.


Dock 150 Wireless and USB Charging Station



- > With pop-up lid to expose 3 additional USB ports which are hidden when not in use
- > Offers wireless charging Qi V1.2 compliant
- > Rubberized finish prevents unintentional cell phone movement during wireless charging
- > Input: DC 5V 6 amps
- > Output: wireless charger 5 W max.
1 x USB-C Port, DC 5V 2.4A/12 W max.
2 x USB-A Ports, DC 5V 1A/5 W max.
- > Press fits into hole Ø: 75 mm (2 15/16")
- > Material: Plastic

Color	Item No.
black	822.99.370
white	822.99.371

Supplied With
DC 5V 6A Transformer
2.44 m (8') power cord



Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.

Wireless Charging



→ Surface Mount




- > Qi certified and FCC ID registered
- > Input: DC 9V 1.67 amps
- > Output: max. 10 W
- > Press fits into hole Ø: 75 mm (2 15/16")
- > Material: Plastic

Color	Item No.
black	822.64.074
white	822.64.075

Supplied With
DV 9V 1.75A power adapter
2.44 m (8') cord





→ Under Mount



- > Qi certified and FCC ID registered
- > For recessed mounting under a work surface
- > Charges through surface thickness: max. 3 mm (1/8")
- > With adjustable clamp to affix under top
- > Input: DC 9V 1.67 amps
- > Output: max. 10 W
- > Material: Plastic

Color	Item No.
black	822.64.076

Supplied With
DV 9V 1.75A power adapter
2.44 m (8') cord



Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.

Point Pod Pop-Up Power and Data Centers





Point Pod countertop pop-up units bring modern functionality to kitchen islands, countertops, and workspaces with a motorized pop-up design that blends seamlessly into your surfaces. Designed to disappear when not in use and rise at the touch of a finger.

- > The push-to-open electric fitting elevates smoothly and quietly with a simple touch
- > Two models to choose from:
 - With 2 x 15 W USB-C, 1 x USB-A Ports and 2 x AC Outlets
 - With 2 x 65 W USB-C Ports and 2 x AC Outlets
- > Flush mounts directly into stone or wood countertops with a cover made from your own countertop material for a seamless look
- > Safety obstruction detection halts movement for added safety
- > IP44 rated
- > Meets current NEC requirements for countertops, and is ETL Listed and CSA approved
- > Requires only 457 mm (18") of clearance beneath the counter for installation
- > Required installation hole Ø: 102 mm (4")
- > Plugs directly into an outlet
- > For inside use only

Note
For professional installation only, this is not a DIY installation project.

Model	Color	Item No.
With 2 x 15 W USB-C, 1 x USB-A Ports and 2 x AC Outlets	silver	822.74.989
	black	822.74.997
With 2 x 65 W USB-C Ports and 2 x AC Outlets	silver	822.74.912
	black	822.74.913




Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.

PAGE RESERVED FOR
NEW PRODUCT

Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.





Hide-A-Dock



- > For home/small offices, hotel furniture, cabinets or commercial applications
- > Easily closes and hidden when not in use
- > Simply press on the lid to open
- > Great for charging iPhones, smart phones, iPads, tablets, digital cameras and other USB devices
- > Space required under worksurface: approx. 102 mm (4")
- > Material: Aluminum

5

Office Organization



- > With 1 grounded AC outlet; 125V 15A max.
- > With 1 USB-A port @ 10.5 W and 1 USB-C port @ 12 W

- > With 2 grounded AC outlets; 125V 15A max.
- > With 1 USB-A port @ 10.5 W and 1 USB-C port @ 12 W

Color	Item No.
black	822.09.405
silver	822.09.404

Supplied With
3 m (10') Power cord

Color	Item No.
black	822.09.406
silver	822.09.407

Supplied With
3 m (10') Power cord

Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.





Dock 704 2-Sided Power and Data Center



- > For conference tables
- > With press-activated lids
- > Aluminum housing with beveled edges
- > Side 1: 2 tamper resistant (TR) AC outlets
1 5V 2.4A USB-C port
1 5V 2.1A USB-A port
1 ethernet coupler
- > Side 2: 2 tamper resistant (TR) AC outlets
1 5V 2.4A USB-C port
1 5V 2.1A USB-A port
1 HDMI coupler
- > Material: Aluminum

Color	Item No.
black	822.09.437
silver	822.09.438

Supplied With
3 m (10') 14 AWG x 3C power cord



Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.


Pop-Up Power Stations

5

Office Organization



- > Installation hole Ø: 76 mm (3")
- > Space under worksurface: 305 mm (12")
- > Material: Plastic




- > With 1 USB-A port @ 10.5 W and 1 USB-C port @ 12 W
- > With 2 AC grounded outlets; 125V 12A max.

Color	Item No.
black	822.09.409
white	822.99.360

Supplied With
1.8 m (6') Power cord

Note
USB ports charge through the unit's power cord.




- > With 3 AC grounded outlets; 125V 12A max.

Color	Item No.
black	822.99.320



Supplied With
1.5 m (5') Power cord

Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.

Dock 1100



- > With 1 USB-A port @ 10.5 W and 1 USB-C port @ 12 W
- > 1 tamper resistant grounded AC outlet, 125 V 15 A Max
- > Flush mounted with through bolts
- > Material: Aluminum



Color

black

Item No.

822.09.410


Supplied With

3 m (10') Power cord

Note

Order face plates separately, see below.

→ Flush Mount Face Plates



- > Material: Steel, epoxy-coated

Finish

black

white

silver

Item No.

822.09.360


822.09.760

822.09.960

Power and Charging Bars



- > With 1 USB-A port @ 10.5 W and 1 USB-C port @ 12 W
- > Face plate mounted
- > 3 AC grounded outlets; 125V 12A max.
- > Overload protection with reset switch
- > Material: Plastic



Color


black

Item No.


822.09.411

Supplied With

3 m (10') 14AWGx3C power cord



CUT-OUT DIMENSIONS FOR FACE PLATE MOUNT: 187 x 48 (7 3/8" x 1 7/8")



- > With 1 USB-A port @ 10.5 W and 1 USB-C port @ 12 W
- > Face plate mounted
- > Fast charging with 2 USB ports 5V DC 4.2A (21 W) of charging power
- > 1 tamper resistant (TR) AC grounded outlet; 125V 12A max.
- > Cut-out dimension: 114 x 48 mm (4 1/2" x 1 7/8")
- > Material: Plastic

Color

black

Item No.



822.09.413

white

822.09.415

Supplied With

3 m (10') 14AWGx3C power cord



CUT-OUT DIMENSIONS: 114 x 48 (4 1/2" x 1 7/8")

Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.

Sleek Sockets®



- > Sleek Sockets® hide unsightly, unsafe plugs and cords
- > The slim wall hugging device blends into the wall creating an uncluttered look
- > 90% thinner than traditional plugs, cords and most baseboards allowing furniture to sit flush against the wall
- > Supplied adhesive cord management kits consisting of double-sided removable adhesive strips and adhesive cord clips hold the cord neatly against the wall
- > Universally compatible with all duplex outlet sizes
- > Ideal solution for hiding power cords in and around cabinets, for example, placement of Häfele LED Lighting
- > UL listed specifically complying with UL Standard 817 and CSA C22.2 #21 (safety cord sets and power supply cords)
- > Material: Plastic; Color: white



- > The 0.9 m (3') cord version is ideal for smaller spaces such as kitchens and baths
- > With a 3 outlet power strip



- > With 1.8 m (6') power cord, 6 outlet power bar
- > With lighted surge protection
- > Ideal for hiding plugs behind furniture, TV stands, desks, etc.

Version	Item No.
0.9 m (3') cord	822.09.418
2.44 m (8') cord	822.09.419
2.44 m (8') cord for ground pins facing up	822.09.420

Supplied With
Adhesive cord management clips



- > Features dual 3 outlet power strips, each with a 2.44 m (8') power cord
- > Fits great behind beds and sofas

Item No.
822.09.422



- > With 1.2 m (4') power cord, upward exiting cord and 2 outlet power bar
- > With lighted surge protection
- > Perfect for wall mounted televisions

Item No.
822.09.423



- > Add a power strip above and below a cabinet
- > With dual outlet power strips, each with a 2.44 m (8') power cord

Item No.
822.09.424

Plastic Grommets



bronze



dark brown




black




almond




ivory



gray




stone



candlelight






white



- > Two-piece with removable top
- > Thin design for use in panel thickness: 16 mm (5/8")
- > Press fits in hole Ø: 65 mm (2 1/2")
- > Material: Plastic

Color	Item No.
bronze	631.26.111
dark brown	631.26.112
black	631.26.311
almond	631.26.411
ivory	631.26.412
gray	631.26.511
stone	631.26.512
candlelight	631.26.611
white	631.26.711

Metal Grommets



- > Height: 21 mm (13/16")
- > Two-piece with top featuring brush and locking mechanism
- > Push fits into drilled hole
- > Material: Zinc Alloy


Drill hole	Finish	Item No.
Ø60 (2 11/32")	matte chrome-plated	631.31.412
	stainless steel look	631.31.012
	black	631.31.312
Ø80 (3 1/8")	matte chrome-plated	631.31.414
	stainless steel look	631.31.014
	black	631.31.314

- > Height: 12 mm (15/32")
- > Two-piece with top featuring brush and locking mechanism
- > Push fits into drilled hole
- > Material: Zinc Alloy

Drill hole	Finish	Item No.
Ø60 (2 11/32")	stainless steel look	631.31.002
	black	631.31.302
Ø80 (3 1/8")	stainless steel look	631.31.004
	black	631.31.304


Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.

Cable Sets, two-piece, round




- > With break-away tab cover cap
- > Press fits or glues in hole Ø: 47 mm (1 7/8")
- > Material: Plastic

Color	Item No.
almond	429.93.019
brown	429.93.117
black	429.93.313



- > With spring closure
- > Press fits or glues in hole
- > Material: Plastic


Color	Ø50 (1 31/32")	Ø60 (2 11/32")	Ø80 (3 1/8")
white	429.99.735	429.99.726	429.99.744
light gray	429.99.539	429.99.520	429.99.548
beige	429.99.431	429.99.422	429.99.440
almond	429.99.039	429.99.020	429.99.048
brown	429.99.137	429.99.128	429.99.146
black	429.99.333	429.99.324	429.99.342



- > With break-away tab cover cap
- > Press fits or glues in hole Ø: 60 mm (2 11/32")
- > Material: Plastic

Color	Item No.
almond	429.93.028
brown	429.93.126
black	429.93.322

Oval Grommets, two-piece



- > With break-away tab cover cap
- > Press fits or glues in hole
- > Material: Plastic

Color	Item No.
black	429.87.306
white	429.87.700

Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.

Office Organization

5

Oval Grommets





- > One-piece, pass-through grommets
- > Ideal for medical cabinet applications; glove dispenser trim rings, clothing or waste shoots
- > Material: Plastic

→ 170 x 70 mm (6 3/4" x 2 3/4")





→ 330 x 152 mm (13" x 6")

5

Office Organization



Color	Item No.
black	429.87.303
silver	429.87.304
white	429.87.305




Color	Item No.
black	429.87.300
silver	429.87.301
white	429.87.302

Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.

PAGE RESERVED FOR
NEW PRODUCT

Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.

Plastic Cable Grommets




- > Press fits in hole Ø: 19 mm (3/4'')
- > Material: Plastic

- > Press fits in hole Ø: 25 mm (31/32'')
- > Material: Plastic

Color	Item No.
black	429.99.365
white	429.99.765

Color	Item No.
black	429.99.366
white	429.99.766



- > Press fits in hole Ø: 38 mm (1 1/2'')
- > Material: Plastic

- > Press fits in hole Ø: 50 mm (1 31/32'')
- > Material: Plastic

Color	Item No.
black	429.99.367
white	429.99.767




Color	Item No.
black	429.99.368
white	429.99.768

Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.

Metal Grommets

- > Metal grommets are an elegant upgrade from standard plastic grommets
- > The straight edge, allows for recess mounting into top for flush applications

→ One-piece, round




- > Press fits or glues in hole Ø: 40 mm (1 9/16")
- > Two aperture openings to choose from
- > Material: Zinc die-cast, plated or epoxy-coated

Finish	12 x 15 mm (15/32" x 19/32")	20 x 25 mm (25/32" x 31/32")
chrome polished	429.94.212	429.94.221
brass polished	429.94.810	429.94.829
black epoxy	429.94.310	429.94.319
brushed bronze	429.94.026	429.94.034
brushed nickel	429.94.612	429.94.621

- > Press fits or glues in hole Ø: 63 mm (2 1/2")
- > Opening: 21 x 29 mm (13/16" x 1 1/8")
- > Material: Zinc die-cast, plated or epoxy-coated

Finish	Item No.
chrome polished	429.94.258
brass polished	429.94.856
antique copper	429.94.151
black epoxy	429.94.346
brushed bronze	429.94.061
brushed nickel	429.94.658
matte nickel	429.94.448

→ Two-piece, round



- > Press fits or glues in hole Ø: 61 mm (2 3/8")
- > Opening: 21 x 29 mm (13/16" x 1 1/8")
- > Material: Zinc die-cast, plated or epoxy-coated

Finish	Item No.
black epoxy	631.46.302
matte nickel	631.46.602
polished brass	631.46.802

Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.

Office Organization

5

Dually Grommets




Trim grommet to size



Problem:
Ragged and unsightly




Solution:
A professional finish



- > Dual-sided locking grommet, gluing is not required
- > Top panel thickness: 19–64 mm (3/4"-2 1/2")
- > Cut to thickness required in 6 mm (1/4") increments with utility knife or scissors
- > Required hole Ø: 64 mm (2 1/2")
- > Material: Plastic

Color	Item No.
black	631.24.340
white	631.24.740


Two-piece round Grommets



- > With 90° rotating top
- > Material: Plastic

Color	ØA	ØB	Item No.
black	60 (2 11/32")	70 (2 3/4")	631.26.301
silver	60 (2 11/32")	70 (2 3/4")	631.26.901
black	80 (3 1/8")	88 (3 7/16")	631.26.302
silver	80 (3 1/8")	88 (3 7/16")	631.26.902


Flexi-Top Grommets



- > Flexi-Top offers a unique look to any desk or counter
- > The pliable top allows easy entry of cables from any direction
- > One-piece construction
- > Required hole Ø: 60 or 80 mm (2 3/8" or 3 1/8")
- > Material: Plastic

Color	Ø60 (2 11/32")	Ø80 (3 1/8")
black	631.43.302	631.43.304
silver	631.43.902	-

Grommets with Brush




- > Material: Plastic

Color	Item No.
silver/aluminum RAL 9006	631.35.214
black	631.35.314

Anodized Aluminum Grommets


→ Rectangular with Brush



- > One-piece with brush seal
- > Screw mounted, corner radius R4
- > W x D: 180 x 45 mm (7 1/2" x 1 3/4")
- > Material: Aluminum

Finish	Item No.
black	631.29.341
silver	631.29.541

→ Cable Slot with Brush




- > One-piece with brush seal
- > Screw mounted
- > W x D: 450 x 45 mm (17 3/4" x 1 3/4")
- > Material: Aluminum

Finish	Item No.
black	631.29.350

Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.



Waste Management Liner



- > Press fits in hole Ø: 152 mm (6")
- > Material: Plastic




Color	Item No.
black	631.24.320

Round Trash Rings




- > Satin finish with bright polished flange top
- > Flange height: 9 mm (11/32")
- > Material: 304 Stainless Steel

Diameter	Height		Item No.
151 (6")	51 (2")	A	631.24.090
151 (6")	127 (5")	B	631.24.091
202 (8")	51 (2")	C	631.24.092
252 (10")	51 (2")	D	631.24.093
303 (12")	51 (2")	E	631.24.094







Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.

Utility Grommets



- > Use for curling irons, hair dryers, tools, etc.
- > High quality steel inside and out
- > Material: Steel; Finish: chrome-plated

Diameter x Height	Bottom	Item No.
76 x 80 (3" x 3 1/8")	open	520.99.200
38 x 131 (1 1/2" x 5 1/4")	open	520.99.210
38 x 145 (1 1/2" x 5 3/4")	crimped	520.99.220
51 x 131 (2" x 5 1/4")	open	520.99.211
51 x 145 (2" x 5 3/4")	crimped	520.99.221



Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.

Premium Utility Canisters




- > Removable bottom cap converts to an open bottom unit if needed and for cleaning
- > Use for curling irons, hair dryers, tools, etc.
- > Includes optional silicone stability band for secure, rattle-free fit
- > When using the silicone stability bands, the cutout size increases by 6 mm (1/4")
- > Manufactured with high-quality 430 Stainless Steel
- > Material: Stainless Steel

Diameter	Item No.
51 (2")	520.99.040
76 (3")	520.99.041
127 (5")	520.99.042


Office Organization

5


520.99.040



520.99.041



520.99.042




Storage Containers




- > Round Bain Marie storage containers available in 1.25 and 2 quart sizes
- > Use for general storage of items in kitchen or vanity applications
- > Material: Stainless Steel; Finish: mirror

Size	Item No.
1.25 quart	520.98.000
2 quart	520.98.001

520.98.000




520.98.001




Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.

Wiremaster Cable Trunking


Wiremaster



Wiremaster - mini




Wiremaster - latch duct



- > Provides efficient cable concealment
- > With self-adhesive tape
- > Can be cut-to-length
- > Material: Plastic PVC, adhesive tape

Item	Color	Item No.
Wiremaster	black	829.15.302
Wiremaster - mini	black	829.15.303
Wiremaster - latch duct	black	829.15.305
Wiremaster - latch duct	white	829.15.306


Cable Grip



- > Cables are securely gripped when inserted between loops
- > Screw mounted
- > Material: Plastic

Color	Item No.
black	631.39.310

Cord Management Clips with Adhesive




- > Ideal for managing indoor extension cords around baseboards, etc.
- > Use for wire management in cabinetry, lighting, etc.
- > With self-adhesive tape
- > Material: Plastic; Color: white

Version	Item No.
10 pcs. 1" clips and 1 pc. 90° clip	822.09.425
10 pcs. 5" clips	822.09.426

Low-Voltage Cable Management Arm

5

Office Organization



- > Designed to guide low-voltage cables in moving mechanisms like drawers
- > Ideal for LED lighting inside drawers, telephone cables, security systems, alarm keypads and networking cables
- > Features easy cable routing with included zip ties
- > The arms can be disconnected from the mounting brackets as needed for installation
- > Space behind drawer: min. 50 mm (1 31/32")
- > Drawer box width (OD): min. 330 mm (13")
- > Interior drawer box height: min. 76 mm (3")
- > Drawer extension: max. 533 mm (21")
- > Base cabinet depth: max. 610 mm (24")
- > Material: Plastic

Warning

Not for use in high-voltage electrical applications.
This cable management arm is exclusively designed for low-voltage cables and will NOT work with 120V, 14 gauge cable size.

Color

black

Item No.

820.52.872

Supplied With


5 sets

Each set includes:

1 Cable arm, 2 Mounting brackets, 4 Mounting screws,
10 Cable ties, Installation instructions


Note

Order quantity minimum: 1 carton of 5 sets.



Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.

Cable Clamp



- > Bundle size: max. 9.5 mm (3/8")
- > Material: Nylon

Color


white

Item No.

631.18.380

Supplied With
50 pcs.

Cable Spring Clip



- > Bundle size: max. 6 mm (1/4")
- > Material: Nylon

Color


white

Item No.

631.18.381

Supplied With
25 pcs.

Cable Tie Mount



- > With adhesive tape and screw mounting hole
- > Material: Nylon

Color



white

Item No.

631.18.382

Supplied With
50 pcs.

Zip Ties



- > Length: 145 mm (5 1/2")
- > Material: Nylon

Color

white

Item No.



631.18.304

Supplied With
100 pcs.

Vertebra Round Vertical System

5

Office Organization




- > Flexible cable management systems that are attractively designed and protect the cables from floor to desktop
- > An ideal solution for use with adjustable table mechanisms
- > The length/height is easily adjusted by removing individual discs as required
- > With weighted base and table attachment element
- > Material: Plastic; Base: Metal

Color	Item No.
black	631.01.300
silver RAL 9006	631.01.900

Supplied With
Mounting screws


Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.

Wire Management Tray



- > Use under worksurfaces to manage wires
- > Solid lightweight aluminum construction
- > Includes larger entry/exit holes evenly spaced for large plugs
- > Screw mounted
- > Material: Aluminum

Length	Color	Item No.
508 (20")	black	631.03.340
508 (20")	white	631.03.740
1,118 (44")	black	631.03.341
1,118 (44")	white	631.03.741





File Frame Kits

5

Office Organization




- > For wood or metal drawers
- > Required inside drawer height: 222 mm (8 3/4")
- > Smooth surface allows files to glide with ease
- > Rigid profile handles heavy loads
- > Adjusts between filing configurations without tools
- > Cross rails "snap" into fixed positions
- > Cut-to-size side rails allow you to customize any drawer
- > Two or more kits may be combined for wide lateral file drawers




- > Letter width file drawer requirements:
 - Inside width: min. 305 mm (12")
 - Inside depth: max. 584 mm (23")
- > Legal width file drawer requirements:
 - Inside width: min. 381 mm (15")
 - Inside depth: max. 584 mm (23")
- > Material: Profile: Steel; Ends: Plastic; Color: black

Version	Item No.
letter	422.74.310
legal	422.74.320

Supplied With
2 Fixed front rails, 2 Side rails: Length: 635 mm (25")
2 Attachment brackets, Divider




Typical LETTER file dimensions




Typical LEGAL file dimensions


Configuration examples:




Side to Side Legal




Side to Side Letter




Side to Side Legal




Side to Side Letter




Front to Back Legal



Front to Back Letter




Front to Back Legal



Front to Back Letter

File Brackets/Rails


→ Brackets



- > Flush screw mounted
- > Material: Steel, 16 gauge

Finish	Item No.
zinc-plated	424.31.900
black oxide	424.31.300

→ Rail Clip





- > Hangs over file rail above, allowing files to be hung at a 90° angle to rails
- > Material: Plastic

Color	Item No.
black	422.73.300

Supplied With
10 pcs.



→ Aluminum Rail



- > Without holes; drill holes where needed
- > Length: 2.5 m (98 1/2")
- > Material: Aluminum, anodized

Finish	Item No.
satın silver	422.71.902


- > Simple, flexible solution for mounting into any file drawer
- > No cutting or grooving required to install
- > Flush mount or top mount to drawer side, front, or back
- > For file bar: 3 mm (1/8")



- > Top mount; screw mounted
- > Material: Steel, 16 gauge

Finish	Item No.
zinc-plated	424.31.910
black oxide	424.31.310


→ Rails



- > Snaps onto drawer sides, requiring no glue or staples
- > Add clips and cross rails to accommodate different sized drawers and file sizes
- > Length: 2.5 m (98 1/2")
- > Material: Plastic

Color	Side thickness	Item No.
black	12 (15/32")	422.72.381
white	12 (15/32")	422.73.790
black	16 (5/8")	422.72.392
white	16 (5/8")	422.73.792

→ Cross Rail



- > Fits in brackets above
- > Easily cut to length for your application
- > Material: Aluminum, unfinished

Item No.
422.74.900

Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.

Monitor Arms


5

Office Organization



- > German engineered for quality and durability
- > Smooth movement to easily change distance, angle or rotation
- > Stabilis gas spring provides effortless movement
- > Elevates the monitor above the worksurface
- > Quick-release connection for easy monitor relocation or upgrade
- > Arm conceals behind the monitor and hides cables
- > Meets VESA mounting standards for 75 mm (2 15/16") and 100 mm (3 15/16") monitor mounting
- > 3-in-1 mount system; clamp, bolt-thru or grommet mounts
- > Fits worksurface thickness: 10–50 mm (13/32"–1 31/32")
- > Material: Aluminum

→ CLU II for Single Monitors




3-in-1 mount system

- > Weight capacity: 2–7 kg (4.4–15.4 lbs.)

Finish	Item No.
black	818.45.300
silver	818.45.900

Supplied With
1 set

→ CLU Duo for Dual Monitors



3-in-1 mount system

- > Weight capacity/arm: 2–7 kg (4.4–15.4 lbs.)

Finish	Item No.
black	818.45.310
silver	818.45.910

Supplied With
1 set

Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.

Monitor Arms




- > CLU Plus arm for large monitors
- > Supports flat or curved screens: max. 1,016 mm (40")

5

Office Organization

→ CLU Plus for Large Monitors



- > Weight capacity: max. 15 kg (33 lbs.)
- > Material: Aluminum

Finish	Item No.
black	818.45.320
silver	818.45.920


Supplied With
1 set

Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.

Pencil Drawers

5

Office Organization



- > 3 compartments
- > Ball bearing slides with hold-in and hold-out detents
- > Completely assembled
- > Width required for installation: min. 387 mm (15 1/4")
- > Installed depth: 387 mm (15 1/4")
- > Extended depth: 660 mm (26")
- > Material: Tray: Plastic; Slides: Steel

Color

black

Item No.

429.59.340

Supplied With

Mounting hardware

- > 5 compartments
- > With ball bearing slides
- > Simple assembly required
- > Width required for installation: min. 591 mm (23 1/4")
- > Installed depth: 463 mm (18 1/4")
- > Extended depth: 737 mm (29")
- > Material: Tray: Plastic; Slides: Steel

Color

black

Item No.

429.59.350

Supplied With

Mounting hardware

Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.

Accuride Keyboard Trays




- > For occasional users, home office, education, learning and training centers or heavy-use typing/data entry
- > Sleek curvilinear look
- > Slides are fully concealed, no rough or exposed edges
- > Removable palm rest allows unit to accommodate virtually any size keyboard
- > Extra wide tray design provides ample mousing surface
- > Built-in cable management
- > Removable mouse pad for right or left handed use
- > Heavy duty adjustable brackets with 7 height adjustments
- > Brackets can mount facing in or out
- > Material: Steel, Foam, ABS Molded Plastic

→ Model 200 Standard




→ Model 300 Deluxe



- > 3/4 extension slides
- > Tray tilt, fixed at -7°
- > Detent in the open and closed position
- > Weight capacity: 34 kg (75 lbs.)

Color	Item No.
black	632.52.300

Note
Keyboard and mouse not included.



- > Full extension slides
- > Tray tilt, adjusts at -7°, -3.5° and flat 0°
- > Intermediate detent in open and closed position
- > Rear storage compartments
- > Weight capacity: 45 kg (100 lbs.)

Color	Item No.
black	632.52.310

Note
Keyboard and mouse not included.

Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.

Keyboard Arms

- > Track length: 432 mm (17")
- > 360° swivel allows user to move keyboard freely from side to side
- > Meets or exceeds ANSI/BIFMA requirements
- > Made in North America, TAA Compliant
- > Material: Steel, epoxy-coated; Components: Plastic

Note

Arms do not include keyboard trays, please order separately.
See pages 5.44 for available options.

→ Encore Arm

5

Office Organization






- > Entry level arm that provides most of the features at an economical price
- > For occasional users, home office, education, learning and training centers
- > Low profile design provides maximum leg room
- > Star wheel adjustment knob provides simultaneous height and tilt adjustment

Finish


black

Item No.

632.68.380



→ Echo Arm





- > A no-frills keyboard support arm that offers all the adjustability needed for comfort and efficiency
- > For occasional users, home office, education, learning and training centers
- > Soft touch knob adjusts both height and tilt simultaneously
- > Spring assisted to help counterbalance keyboard tray weight
- > Low profile ball bearing track

Finish

black

Item No.

632.68.301




Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.

Keyboard Arm



- > Track length: 552 mm (21 3/4")
- > Designed to offer a greater range of motion with maximum use comfort and safety
- > For heavy use typing/data entry, multi users and commercial/ industrial installations
- > Gauges for both height and tilt adjustment make it easy for each user to custom fit the keyboard position to their personal preference
- > Lift-N-Lock™ spring – assisted height adjustment (no levers or knobs)
- > Soft-touch dial knob for easy negative or positive tilt adjustment, +10°/-15°, provides greater ADA compliance
- > Tray tilt angle indicator
- > Under worksurface storage and 360° swivel
- > Clears 45° corner angles for corner workstations
- > Meets or exceeds ANSI/BIFMA requirements
- > Made in North America, TAA compliant
- > Material: Steel

→ Ovation Arm



Finish

black epoxy

Item No.

632.68.385




Note

Arm does not include keyboard tray, please order separately.
See pages 5.44 for available options.

Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.

Keyboard Trays

→ Economy



- > Low profile and durable
- > Integrated mouse tray slides for left or right hand use
- > Material: Plastic, injection molded

Finish

black


Item No.

639.96.397

Note

Tray does not include keyboard arm, please order separately.
See pages 5.42–5.43 for available options.

→ HDPE



- > HDPE (High Density Polyethylene) tray is fully recyclable
- > Mouse tray with guard to prevent slippage of the mouse
- > Mouse tray is height adjustable & swivels 360°
- > Material: Arm mechanism: Steel, epoxy-coated
Keyboard tray: HDPE Plastic

Finish

black

Item No.

632.68.336

Supplied With



Tray
Mouse tray

Note

Tray does not include keyboard arm, please order separately.
See pages 5.42–5.43 for available options.

Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.

Keyboard Trays and Arms Combo Packs



- > Low profile arm with Lift-N-Lock™ leverless adjustment
- > Entry level arm and tray combo that provides economical price points
- > 360° swivel
- > Track length: 432 mm (17") with height adjustment: 151 mm (6")
- > Material: Arm: Steel; Tray: ABS Plastic

Finish



black

Item No.

632.68.317

Supplied With

Economy tray with swivel mouse platform for left or right hand attachment.



- > Soft touch knob adjusts both height and tilt simultaneously
- > Spring assisted to help counterbalance keyboard tray weight
- > 360° swivel allows user to move keyboard freely from side to side
- > Low profile ball bearing track
- > Track length: 425 mm (16 3/4")
- > W x D: 533 x 267 mm (21" x 10 1/2")
- > Mouse tray: 229 x 216 mm (9" x 8 1/2")
- > Material: Arm: Steel, epoxy-coated; Tray: Plastic, injection molded

Color

black

Item No.

632.68.311

Supplied With


Economy tray with mouse tray for left or right hand use.

Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.

CPU Holders with Swivel and Extension


5

Office Organization



- > Securely clamps and holds CPU away from the floor
- > Weight capacity: 25 kg (55 lbs.)
- > Height adjustment: 340–521 mm (13 3/8"–20 1/2")
- > Material: Steel; Finish: black epoxy

Width adjustment	Item No.
140–235 (5 1/2"–9 1/4")	639.72.300
70–133 (2 3/4"–5 1/4")	639.72.320



- > 360° swivel provides easy access to connections on the rear of CPU
- > Track travel: 216 mm (8 1/2")
- > Weight capacity: 25 kg (55 lbs.)
- > Height adjustment: 371–521 mm (14 5/8"–20 1/2")
- > Width adjustment: 140–235 mm (5 1/2"–9 1/4")
- > Material: Steel

Finish	Item No.
black epoxy	639.72.310

Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.